

# Inverters



## Ring - Modified Sine Inverters

12V inverters and 24V inverters, ideal for vehicle conversions and commercial vehicles. Ring's inverters provide a reliable source of mains power while working remotely



## Ring - Modified Sine Inverters 12V


MCI	Supplier #	Type	Power/Charger	Voltage	Length (mm)	Width (mm)	Height (mm)
I75-12M	RING	MODIFIED SINE	75w	12	183	185	55
I300-12M	RING	MODIFIED SINE	300w	12	190	90	65
I500-12M	RING	MODIFIED SINE	500w	12	230	110	65
I1000-12M	RING	MODIFIED SINE	1000w	12	280	148	70
I2000-12M	RING	MODIFIED SINE	2000w	12	360	265	90
I3000-12M	RING	MODIFIED SINE	3000w	12	510	250	160



## Ring - Modified Sine Inverters 24V

MCI	Supplier #	Type	Power/Charger	Voltage	Length (mm)	Width (mm)	Height (mm)
I300-24M	RING	MODIFIED SINE	300w	24	190	90	65
I1000-24M	RING	MODIFIED SINE	1000w	24	280	148	70
I2000-24M	RING	MODIFIED SINE	2000w	24	360	265	90

# Inverters



All VETUS inverters have a shore power connection, a built-in UPS function and LED bar for indication of the battery voltage and power consumption. Whenever the shore power is disconnected, the inverter will immediately switch over the power supply without affecting the connected equipment.



## Vetus - Pure Sine Inverters 12V

MCI	Supplier #	Type	Power/Charger	Voltage	Length (mm)	Width (mm)	Height (mm)
I600-12V	VETUS	PURE SINE	600w	12	350	285	120
I1000-12V	VETUS	PURE SINE	1000w	12	400	285	120
I1500-12V	VETUS	PURE SINE	1500w	12	450	285	120
I2000-12V	VETUS	PURE SINE	2000w	12	420	285	185
I3000-12V	VETUS	PURE SINE	3000w	12	490	285	185

## Vetus - Pure Sine Inverters 24V

MCI	Supplier #	Type	Power/Charger	Voltage	Length (mm)	Width (mm)	Height (mm)
I600-24V	VETUS	PURE SINE	600w	24	350	285	120
I1000-24V	VETUS	PURE SINE	1000w	24	400	285	120
I1500-24V	VETUS	PURE SINE	1500w	24	450	285	120
I2000-24V	VETUS	PURE SINE	2000w	24	420	285	185
I3000-24V	VETUS	PURE SINE	3000w	24	490	285	185

# Inverters



The VETUS COMBI can be used as an inverter and a battery charger. This battery charger has a four-stage function: boost, absorption, float and equalize.



## Vetus - Pure Sine Combi Inverters

MCI	Supplier #	Type	Power/Charger	Voltage	Length (mm)	Width (mm)	Height (mm)
I1500-12CV	VETUS	PURE SINE COMBI	1500W/70A	12	495	248	332
I3000-12CV	VETUS	PURE SINE COMBI	3000W/140A	12	630	248	332
I1500-24CV	VETUS	PURE SINE COMBI	1500W/40A	24	495	248	332
I3000-24CV	VETUS	PURE SINE COMBI	3000W/70A	24	630	248	332



### Free Next Day Delivery\*

We deliver free to trade customers within our depot delivery areas. We deliver nationwide via a reliable courier. Please contact us for further information. You can also collect your order from a Multicell Trade Counter.



### Technical Support

Our technical team are available to answer any questions regarding batteries and associated products. If you would like to inquire about a Trade account and Trade prices, please contact our team.



### Recycle With Multicell

We recycle all scrap Sealed Lead Acid Batteries. Please contact us for further information.

## CONTACT US

☎ 01455 283 443

✉ [help@multicell.co.uk](mailto:help@multicell.co.uk)

🌐 [www.multicell.co.uk](http://www.multicell.co.uk)

📍 Multicell International Ltd  
Box Road  
Broughton Astley, Leicester  
LE9 6TJ